

THE UNIVERD SHAYES OF AMERICA

Honcer Hi-Bred International, Inc.

There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR RING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PHB00'

In Testimone Therest, I have hereunto set my hand and caused the seal of the Flant Hariety Frotestion Office to be affixed at the City of Washington, D.C. this twenty-third day of November, in the year two thousand and seven.

Allet

Berge

Commissioner Plant Variety Protection Offico Agricultural Marketing Service Sacreta

REPRODUCE LOCALLY. Include form number and	date on all repro	oductions		Form Approved - OMB No. 0581-0055			
U.S. DEPARTME AGRICULTURAL			The follo	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.			
SCIENCE AND TECHNOLOGY - F APPLICATION FOR PLANT VA (Instructions and information co	LANT VARIETY I	PROTECTION OFFICE	Applicati	on is required in order to dete	rmine if a ,	plant variety protection certificate is to be issued until certificate is issued (7 U.S.C. 2426).	
. NAME OF OWNER				PORARY DESIGNATION OR	3, VA	RIETY NAME	
Pioneer Hi-Bred	l Internatio	onal, Inc.	EXP	ERIMENTAL NAME		PHB00	
. ADDRESS (Street and No., or R.F.D. No., City,	State, and ZIP C	ode, and Country)	5. TELE	PHONE (include area code)		FOR OFFICIAL USE ONLY	
	62 nd Aven		ŧ	515/270-4051		NUMBER	
Johnston,	IA 50131-0	085	6. FAX	(include area code)	2	200500254	
			5	515/253-2125	FILIN	G DATE	
, IF THE OWNER NAMED IS NOT A "PERSON", ORGANIZATION (corporation, partnership, asso	GIVE FORM OF	8. IF INCORPORATED, GIVE STATE OF INCORPORATION		OF INCORPORATION	ر ا	May 17, 2005	
Corporation		lowa	1	īarch 5, 1999	'	(7)	
0. NAME AND ADDRESS OF OWNER REPRESS	ENTATIVE(S) TO	I SERVE IN THIS APPLICATION. (Fire	rst person listed	will receive all papers)	F E E	FILING AND EXAMINATION FEES:	
	Stavan	R. Anderson				, ·	
Rese		Product Development	t		· R E C	DATE 5/17/05 CERTIFICATION FEE:	
	P.C	D. Box 85			E I V	\$ 768.00	
Johnston, IA 50131-0085			•		E	DATE 10/15/07	
TELEPHONE (Include area code) 12. FAX (Include area code)			13.	E-MAIL	-l <u>-</u>		
515/270-4051 515/253-2125				stev	en.an	derson@pioneer.com	
4. CROP KIND (Common Name) 16. FAMILY NAME (Botanical) Corn Gramineae			18.	_	NIN ANY T	RANSGENES? (OPTIONAL)	
5. GENUS AND SPECIES NAME OF CROP 17. IS THE VARIETY A FIRST GENERATION HYBRID?			RID?	☐ YES ☑ NO	SSIGNE	USDA-APHIS REFERENCE NUMBER FOR THE	
Zea Mays □ YES ☑ NO						ATE THE GENETICALLY MODIFIED PLANT FOR	
CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse)				DOES THE OWNER SPECIF		EED OF THIS VARIETY BE SOLD AS A CLASS 3(a) of the Plant Variety Protection Act)	
 a. \overline{\textit{B}} Exhibit A. Origin and Breeding History of b. \overline{\textit{B}} Exhibit B. Statement of Distinctness 				☐ YES (If "yes", answer	items 21 a	and 22 below) 🛛 NO (If "no", go to item 23)	
 c. ☑ Exhibit C. Objective Description of Variety d. ☐ Exhibit D. Additional Description of the Variety 				DOES THE OWNER SPECIF NUMBER OF CLASSES?	Y THAT S	EED OF THIS VARIETY BE LIMITED AS TO	
e. ☑ Exhibit E. Statement of the Basis of the C f. ☑ Voucher Sample (2,500 viable untreated s	wner's Ownership			☐ YES ☐ NO			
verification that tissue culture will be depo						NDATION REGISTERED CERTIFIED	
repository) g. Filing and Examination Fee (\$3,652), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)				NUMBER OF GENERATIONS?			
				F YES, SPECIFY THE NUMB	ER 1,2,3,	etc. FOR EACH CLASS,	
				☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED			
			((If additional explanation is necessary, please use the space indicated on the reverse.)			
3. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES?				24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?			
⊠ YES □ NO				☐ YES ☒ NO			
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)			JF R	IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.)			
5. The owners declare that a viable sample of basic seed of the variety has been furnished with application and for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the			tion and will be I for the duration	and will be replenished upon request in accordance with such regulations as may be applicable, or the duration of the certificate.			
entitled to protection under the provisions of Sec	tion 42 of the Plai	nt Variety Protection Act.		e(s) that the variety is new, di	stinct, unit	orm, and stable as required in Section 42, and is	
Owner(s) is (are) informed that false representat	ion herein can jeo						
GNATURE OF OWNER			SIGNATURE C	F OWNER	/	C Muderson	
AME (Please print or type)			NAME (Please	print or type)		- finally - edit	
APACITY OR TITLE	DATE		CAPACITY OR		n R.	Anderson	
				arch Scientist		-16-2005	
		***************************************		(See reverse for instructions		ation collection burden statement)	

200500254

SENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that vill reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 illing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials o make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuanc of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvpindex.htm

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that name has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, 10301 Baltimore Avenue, Suite 401 NAL Building, Beltsville, MD 20705. Telephone: (301) 504-5682 http://www.ams.usda.gov/lsg/seed.htm.

TEM

19a.Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b.Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d.Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Jnited States, Nov. 1, 2004; Canada, Nov. 1, 2004

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any nodification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing astructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

he U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, plitical beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information 3 raille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

o file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD) SDA is an equal opportunity provider and employer.

rt-470 (04-03) designed by the Plant Variety Protection Office using Word 2002.

Exhibit A: Developmental history for PHB00

Pedigree: PH24E/PH1B8)X2A424X

Pioneer Line PHB00, Zea mays L., a yellow endosperm, dent corn, inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH24E (PVP Certificate Number 9600204) X PH1B8 (PVP Certificate Number 9900384) using the pedigree method of plant breeding. Varieties PH24E and PH1B8 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing was practiced from the above hybrid for 8 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Algona, Iowa as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHB00 has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 7 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 6 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab electrophoresis methodology.

No variant traits have been observed or are expected in PHB00.

The criteria used in the selection of PHB00 were yield, both per se and in hybrid combinations. Late season plant health and late season root lodging, grain quality, stalk lodging resistance, and kernel size were also important criteria considered during selection. Other selection criteria include: good gibberella ear rot resistance, good common rust resistance, good stewart's wilt resistance and above average tassel size and pollen weight as an inbred per se.

Exhibit A: Developmental history for PHB00

Pedigree Grown	Inbreeding Level of
Season/Year	Pedigree Grown
PH24E/PH1B8	F1
PH24E/PH1B8)X	F2
Winter 1995	
PH24E/PH1B8)X2	F3
Winter 1998	
PH24E/PH1B8)X2A4	F4
Summer 1999	
PH24E/PH1B8)X2A42	F5
Winter 1999	
PH24E/PH1B8)X2A424	. F6
Summer 2000	
PH24E/PH1B8)X2A424X	F7 (Seed)

^{*}PHB00 was selfed and ear-rowed from F3 through F9 generation.
#Uniformity and stability were established from F4 through F9 generation and beyond when seed supplies were increased.

Exhibit B: Novelty Statement

Variety PHB00 mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH7JB (PVP Certificate No. 200200010). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2001 and 2004. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PHB00 has longer shank length (15.3 cm vs 9.4 cm) than variety PH7JB (Table 1).

Variety PHB00 has shorter tassel peduncle length (17.7 cm vs 22.9 cm) than variety PH7JB (Table 1).

Exhibit B: Novelty Statement Table(s)

Table 1: Data from Johnston and Dallas Center, Iowa in 2001 and 2004 presented by trait, across years, and broken out by year. Data are supporting evidence for differences between PHB00 and PH7JB. Each year varieties were grown in 3 locations that had different environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Shank length (cm)	(cm)															
Level Over All	Station	Year	Variety-1 PHB00	Variety-2 PH7JB	Cnt-1 30	Cnt-2 30	Mean-1 15.3	Mean-2 9.4	Mean_Diff 5.9	StDev-1 2.996	StDev-2 1.938	StErr-1 0.547	StErr-2 0.354	DF 58	t-Value	Prob_Pool
Year		2001	PHB00	PH7JB	15		15.3		6.9	3.457	1.846	0.893	0.477	78	6.8	0.000
Year		2004	PHB00	PH7JB	15		15.3		5.0	2.576	1.624	0.665	0.419	28	6.4	0.000
Tassel peduncle length (cm)	assel peduncle length (cm)				ě											
Level Over All	Station	Year	Variety-1 PHB00	Variety-2 PH7JB	Cnt-1 30	•	Mean-1 17.7	Mean-2 22.9	Mean_Diff -5.1	StDev-1 1.721	StDev-2 2.556	StErr-1 0.314	StErr-2 0.467	DF 58	t-Value	Prob_Pool
Year		2001	PHB00	PH7JB	1.5	15	18.8		-2.5	1.146	1.907	0.296	0.492	78	. 4	0.000
Year		2004	PHB00	PH7JB	15	15	16.7		-7.8	1.543	2.100	0.398	0.542	28	-11.6	0.000

Based on previous discussions with the PVP office the traits longitudinal creases and marginal leaf waves were not collected. These traits have low distinguishing power and are variable due to daily fluctuations in water status of the plants. Therefore, we eliminated them from our process based on previous feedback from the PVP office. For insect or disease traits we included data from disease pressure locations only if they were available and paired with the public check. Most often diseases and insect trials are conducted on hybrids since that is the product ultimately sold. In addition, creating consistent disease pressure and infestation levels is costly and difficult.

In cases where less than 15 observations are presented the trait was collected at the plot level as it always has been done in the past. This means many more plants were visually evaluated according to the procedure outlined below, and then a score of the "population" of the plants was recorded for each location.

The experimental design and methods for 2004 were as follows:

The experiment procedures involved three environments with different planting dates per year, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment.

Some traits can be especially variable under different environmental factors influenced by weather, soil type, or planting dates. Varying temperatures or day length could impact the meristem growth during various tissue differentiation stages. The meristem differentiation of the ear and other tissues could be impacted as well as the success of pollination during flowering and frequency of kernel abortion during grain fill.

We have included weather data in the table that follows.

			ı					
Month	GROW	GROWING DEGREE	=	IITS (GDU's)	<u>.</u>	PRECIPITATION (ON (inches)	
	20	2003	20	2004	20	2003		2004
	D. Center	Johnston		D. Center Johnston	D. Cent	Johnston	Center	Johnston 10
May	375	380	548	527	1		7 40	7 75
June	909	604	609	610	192	4 23	10,	200
Lluly.	809	707	400	100	,	3	9.	800
	070	102	123	35	0.18	3.4	2.29	4.54
August	795	786	612	615	0.44	0.51	1 95	1 05
September	456	468	598	560	2.19	2.52	1 38	20.7
TOTAL	2860	3020	3090	3048	10.43	18.00	44.70	24 07
				2	3.	0,00		70.7

Calculate GDU's

Growing Degree Units use following formula: GDU = ((T1+T2)/2)-50

Where T1 = minimum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 86 degrees Fahrenheit is the maximum temperature used.

Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used. GDU"s are calculated each day and accumulated (summed) over certain number of days.

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Pioneer Hi-Bred International, Inc	l Variety Seed	Source	PHB00	remporary Designa	แดก
Address (Street & No., or R.F.D. No., City, State, Zip 7301 NW 62nd Avenue, P.O. Box 85, Johnston, Id		l FOR OFFICIA	AL USE 2		254
Place the appropriate number that describes the var adding leading zeroes if necessary. Completeness s considered necessary for an adequate variety descri	hould be striven for to	establish an adequate va	ne spaces below. Right rriety description. Traits	justify whole numb designated by a "*	ers by " are
COLOR CHOICES (Use in conjunction with Munsell 01. Light Green 06. Pale Yellow 02. Medium Green 07. Yellow 03. Dark Green 08. Yellow-Orange 04. Very Dark Green 09. Salmon 05. Green-Yellow 10. Pink-Orange	color code to describe 11. Pink 12. Light Red 13. Cherry Red 14. Red 15. Red & White	e all color choices; descrit 16. Pale Purple 17. Purple 18. Colorless 19. White 20. White Capped	pe #25 and #26 in Comr 21. Buff 22. Tan 23. Brown 24. Bronze 25. Variegated (Des	26. Other (Descri	be)
STANDARD INBRED CHOICES [Use the most simil Yellow Dent Families: Family Members B14 CM105, A632, B64, B68 B37 B37, B76, H84 B73 N192, A679, B73, Nc268 C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 WF9 W64A, A554, A654, Pa91	ar (in background and fellow Dent (Unrelated Co109, ND246 Oh7, T232 W117, W153R W182BN White Dent: Cl66, H105, Ky);	Sweet Corn: C13, Iowa512 Popcorn:	25, P39, 2132 1722, HP301, HP72	
TYPE: (describe intermediate types in "Commen 2 (1=Sweet, 2=Dent, 3=Flint, 4=Flour, 5=F Dent-Flint)		=Pipecorn)	I Standard Inbred I 2 Type I	Name W64A	\
2. REGION WHERE DEVELOPED IN THE U.S.A.: 2 (1=N.West, 2=N.Central, 3=N.East, 4=S	.East, 5=S.Central, 6=	S.West, 7=Other	I Standard Seed S I _ Region	Source AMES	3 19291
3. MATURITY (In Region Best Adaptability; show H DAYS HEAT UNITS 61 1,327.3 From emergence to 60 1,297.2 From emergence to 2 52 From 10% to 90%	50% of plants in silk	en	DAYS DAYS DAYS DAYS DAYS DAYS DAYS DAYS	HEAT UNITS 1.324.1 1.276.7 63	, <u>,</u>
4. PLANT: 195.0 cm Plant Height (to tassel tip) 75.3 cm Ear Height (to base of top ear node) 14.1 cm Length of Top Ear Internode 0.0 Average Number of Tillers 1.2 Average Number of Ears per Stalk 3 Anthocyanin of Brace Roots: 1=Absent,		15.99 1.97 0.02 0.14	e I Mean 5 I 182.1 5 I 64.9 5 I 14.0 9 I 0.0 9 I 1.0 I 2	St.Dev. San 12.06 9.50 4.41 0.03 0.09	nple Size 45 45 45 9 9
Application Variety Data		Page 1	I Standard Inbred	Data	

Application Variety Data	Page 2	electric many last restrict to solve energy transports	Standard Inbred	Data	
5. LEAF	C4 Davi	Canania Ci-a I	3.5	O. D.	0 1 0
9.4 cm Width of Ear Node Leaf	St.Dev. 0.88	Sample Size I	Mean	St.Dev.	Sample Size
76.0 cm Length of Ear Node Leaf	3.95	<u>45</u> <u>45</u>	<u>9.8</u> 64.7	<u>0.96</u> 4.10	4 <u>4</u> 4 <u>4</u> 4 <u>4</u> 4 <u>4</u>
5.4 Number of leaves above top ear	<u> </u>	45 45			4:
30.4 Degrees Leaf Angle	<u>0.78</u> 5.91	45 I	<u>5.7</u>	<u>0.77</u>	40
(Measure from 2nd leaf above ear at anthesis to stalk above	<u>0.91</u>	40 I	<u>26.3</u>	<u>5.80</u>	43
4 Leaf Color (Munsell Code) 5GY34	ve lear)	;	2 /Munaall	Cada\	r ala
Leaf Sheath Pubescence (Rate on scale from 1=none to 9 Marginal Waves (Rate on scale from 1=none to 9=many)	9=like peach	fuzz) [<u>3</u> (Munsell <u>4</u>	Code) <u>5G)</u>	<u>(444</u>
Longitudinal Creases (Rate on scale from 1=none to 9=m		Ì			
5. TASSEL:	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
9.4 Number of Primary Lateral Branches	<u>2.30</u>	<u>45</u>	<u>6.4</u>	<u>2.15</u>	45
33.0 Degrees Branch Angle from Central Spike	7.06	<u>45</u> 1	23.0	6.07	<u>45</u> 45 45
50.2 cm tassel Length	3.94	<u>45</u> Ⅰ	52.4	3.07	45
(from top leaf collar to tassel tip)					_
6 Pollen Shed (Rate on scale from 0=male sterile to 9=heav	vy shed)	1	6		
1 Anther Color (Munsell Code) 2.5GY78	- ,	i		Code) 10Y	8.58
14 Glume Color (Munsell Code) 7.5RP36		i		Code) 5GY	
1 Bar Glumes (Glume Bands): 1=Absent, 2=Present		į	1	5545, <u>55</u> ,	- 40
a. EAR (Unhusked Data): 12 Silk Color (3 days after emergence) (Munsell Code)	7.5		4 ha	0-4- 0.50	
2 Fresh Husk Color (25 days after 50% silking) (Munsell Co	<u>7.3</u> 50		1 Munsell		3Y96
21 Dry Hugh Color (65 days after 50% alltime) (Manager Color	ode) <u>56</u>	<u>Y68</u> 1		Code <u>5GY</u>	_ _ ,
21 Dry Husk Color (65 days after 50% silking) (Munsell Code	e) <u>2.5</u>	<u>Y8.54</u>	21 Munsell	Code <u>2.5Y</u>	<u>(8.5/1</u>
2 Position of Ear at Dry Husk Stage: 1=Upright, 2=Horizont		t !	<u>2</u>		-
4 Husk Tightness (Rate on scale from 1=very loose to 9=ve	ery tight	ļ.	<u>2</u> 5 2		
2 Husk Extension (at harvest): 1=Short(ears exposed), 2=N	/ledium (<8cn	a), 3=Long	<u>2</u>		
(8-10cm beyond ear tip), 4=Very Long (>10cm)		1			
o. EAR (Husked Ear Data)	St. Dev.	Comple Cire I	Mana	Ct Davi	Comple Pine
14.7 cm Ear Length		Sample Size I	Mean	St.Dev.	Sample Size
	<u>0.93</u>	45 I	<u>13.1</u>	<u>1.70</u>	45 45 45 45
43.4 mm Ear Diameter at mid-point	2.35	45	43.0	<u>2.09</u>	<u>45</u>
115.9 gm Ear Weight	<u>21.08</u>	45 1	<u>112.1</u>	<u>24.21</u>	<u>45</u>
16.2 Number of Kernel Rows	<u>1.64</u>	<u>45</u> 1	<u>17.0</u>	<u>1.39</u>	45
2 Kernel Rows: 1=Indistinct, 2=Distinct		ļ	<u>2</u>		
2 Row Alignment: 1=Straight, 2=Slightly Curved, 3=Spiral		ļ	<u>2</u>		•
15.2 cm Shank Length	<u>3.82</u>	<u>45</u> I	<u>10.4</u>	<u>2.72</u>	<u>45</u>
2 Ear Taper: 1=Slight cyl., 2=Average slightly con., 3=Extre	me conical	1	<u>2</u>		
KERNEL (Dried):	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
11.6 mm Kernel Length	0.99	<u>45</u>	<u>10.0</u>	<u>0.58</u>	<u>45</u> 45 45
8.2 mm Kernel Width	<u>0.71</u>	<u>45</u> I	<u>7.0</u>	<u>0.52</u>	<u>45</u>
4.9 mm Kernel Thickness	<u>0.79</u>	<u>45</u> l	<u>4.4</u>	<u>0.55</u>	<u>45</u>
					9
45.8 % Round Kernels (Shape Grade)	<u>7.97</u>	<u>9</u> I	<u>25.2</u>	<u>5.81</u>	<u> </u>
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7.97 describe)	9 1	<u>25.2</u> <u>1</u> (describe		<u>~</u>
 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR814 	describe) 1)	<u>5Y8/12</u>
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (describe) 1		1 (describe) Code <u>2.</u>	
 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR814 	describe) <u>1</u> 1		<u>1</u> (describe <u>7</u> Munsell () Code <u>2.</u> Code <u>10</u>	5Y812
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR814 7 Hard Endosperm Color (Munsell Code) 10YR714	describe) <u>1</u> 1 Normal Starc		<u>1</u> (describe <u>7</u> Munsell (<u>7</u> Munsell () Code <u>2.</u> Code <u>10</u>	5Y812
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (* 7 Aleurone Color (Munsell Code) 10YR8/14 7 Hard Endosperm Color (Munsell Code) 10YR7/14 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3= Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High L	describe) <u>1</u> 1 Normal Starc		<u>1</u> (describe <u>7</u> Munsell (<u>7</u> Munsell () Code <u>2.</u> Code <u>10</u>	5Y812
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR8/14 7 Hard Endosperm Color (Munsell Code) 10YR7/14 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3= Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High L (se), 9=High Oil, 10=Other 30.9 gm Weight per 100 kernels (unsized sample)	describe) 1 1 Normal Starc ysine, 8=Sup	h, 4=High I er Sweet I <u>9</u> I	1 (describe 7 Munsell (7 Munsell (3 (describe	2.19	5 <u>Y8</u> 12)YR 5 14 ————————————————————————————————————
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR8/14 7 Hard Endosperm Color (Munsell Code) 10YR7/14 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3= Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High L (se), 9=High Oil, 10=Other 30.9 gm Weight per 100 kernels (unsized sample)	describe) 1 1 Normal Starc ysine, 8=Sup 3.33 St.Dev.	h, 4=High I ser Sweet I g I	1 (describe 7 Munsell (7 Munsell (3 (describe 22.4 Mean	2.19 St.Dev	5Y812)YR814 ————————————————————————————————————
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR8/14 7 Hard Endosperm Color (Munsell Code) 10YR7/14 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3= Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High L (se), 9=High Oil, 10=Other 30.9 gm Weight per 100 kernels (unsized sample) COB: 24.6 mm Cob Diameter at mid-point	describe) 1 1 Normal Starc ysine, 8=Sup	h, 4=High I er Sweet I <u>9</u> I	1 (describe 7 Munsell (7 Munsell (3 (describe 22.4 Mean 27.7	2.19 St.Dev 1.53	5Y812)YR914 ————————————————————————————————————
1 Aleurone Color Pattern: 1=Homozygous, 2=Segregating (7 Aleurone Color (Munsell Code) 10YR8/14 7 Hard Endosperm Color (Munsell Code) 10YR7/14 3 Endosperm Type: 1=Sweet(su1), 2=Extra Sweet(sh2), 3= Amylose Starch, 5=Waxy Starch, 6=High Protein, 7=High L (se), 9=High Oil, 10=Other 30.9 gm Weight per 100 kernels (unsized sample) COB:	describe) 1 1 Normal Starc ysine, 8=Sup 3.33 St.Dev.	h, 4=High I ser Sweet I g I	1 (describe 7 Munsell (7 Munsell (3 (describe 22.4 Mean 27.7	2.19 St.Dev	5Y812)YR914 ————————————————————————————————————

Other (Specify)

Standard Inbred Data

, pproductive variety back	r age 3	i Standard Inpred Data	
10. DISEASE RESISTANCE (Rate from 1(most susceptible) to 9 (if not tested; leave Race or Strain Options blank if polygenic):	most resistant); leave blank	The second secon	**************************************
A. Leaf Blights, Wilts, and Local Infection Diseases		!	
_ Anthracnose Leaf Blight (Colletotrichum graminicola)		l Anthracnose Leaf Blight	
Common Rust (Puccinia sorghi)		Common Rust	
Common Smut (Ustilago maydis)		I Common Smut	
Eyespot (Kabatiella zeae)		I Evespot	
Goss's Wilt (Clavibacter michiganense spp. nebraskensis)	ı	I Goss's Wilt	
2 Gray Leaf Spot (Cercospora zeae-maydis)		I 2 Gray Leaf Spot	
 Helminthosporium Leaf Spot (Bipolaris zeicola) 	Race	Helminthosporium Leaf Spot	Race_
6 Northern Leaf Blight (Exserohilum turcicum)	Race	Northern Leaf Blight	Race_
Southern Leaf Blight (Bipolaris maydis)	Race	l Southern Leaf Blight	Race_
Southern Rust (Puccinia Polysora)		1 Southern Rust	
7 Stewart's Wilt (Erwinia stewartii)		I 7 Stewart's Wilt	
Other (Specify)		Other (Specify)	
B. Systemic Diseases		i i i i i i i i i i i i i i i i i i i	
Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana)		Corn Lethal Necrosis	
_ Maize Chlorotic Dwarf Virus (MCDV)		I Head Smut I Maize Chlorotic Dwarf Virus	
_ Maize Chlorotic Mottle Virus (MCMV)		I Maize Chlorotic Mottle Virus	
Maize Dwarf Mosaic Virus (MDMV) Strain		Maize Dwarf Mosaic Virus	Strain_
_ Sorghum Downy Mildew of Corn (Peronosclerospora sorg	ıhi)	I _ Sorghum Downy Mildew of Co	
Other (Specify)	,,	Other (Specify)	
C. Stalk Rots			_
 Anthracnose Stalk Rot (Colletotrichum graminicola) 		I <u>2</u> Anthracnose Stalk Rot	
Diplodia Stalk Rot (Stenocarpella maydis)		l Diplodia Stalk Rot	
Fusarium Stalk Rot (Fusarium moniliforme)		I Fusarium Stalk Rot	
Gibberella Stalk Rot (Gibberella zeae)		I Gibberella Stalk Rot	
_ Other (Specify)		Other (Specify)	
D. Ear and Kernel Rots	•		
_ Aspergillus Ear and Kernel Rot (Aspergillus flavus)		Aspergillus Ear & Kernel Rot	
Diplodia Ear Rot (Stenocarpella maydis)		Diplodia Ear Rot	
4 Fusarim Ear and Kernel Rot (Fusarium moniliforme)		I 4 Fusarium Ear & Kernel Rot	

Page 3

Note: Use chart on first page to choose color codes for color traits.

Other (Specify)

Application Variety Data

Application Variety Data		Page	4	I Standard Inbred Data
11. INSECT RESISTANCE	(Rate from 1(most susceptible)	to 9 (most resistant);	Leave blank	
if not tested	• •		Sample Size	St. Dev. Sample Siz
Banks Grass Mite	(Oligonychus pratensis)		•	Banks Grass Mite
Corn Earworm (Helicov	erpa zea)			l Corn Earworm
_ Leaf Feeding				Leaf Feeding
Silk Feeding	mg larval wt.			
_ Ear Damage				Ear Damage
Corn Leaf Aphid (Rhopalosiphum maidis)			Corn Leaf Aphid
Corn Sap Beetle (Carpophilus dimidiatus)			Corn Sap Beetle
European Corn Borer (I European Corn Borer
	pically Whorl Leaf Feeding)			I 1 st Generation
2 nd Generation (Typically Leaf Sheath-Collar Fee	dina)		l 2 nd Generation
Stalk Tunneling:	cm tunneled/plant	ung)		_ 2 nd Generation
		***************************************	 -	
Fall Armyworm (Spodor Leaf-Feeding	nera irugiperoa)			Fall Armyworm
Lear-reeuling	man langual and			_ Leaf-Feeding
Silk-Feeding	mg iarvai wt.			<u> </u>
_ Maize Weevil (Sito	philus zeamais)			I Maize Weevil
_ Northern Rootworr	n (Diabrotica barberi)			I Northern Rootworm
Southern Rootworn	n (Diabrotica undecimpunctata)			Southern Rootworm
	er (Diatraea grandiosella)			I Southwestern Corn Borer
_ Leaf Feeding	·· (=g. g,			Leaf Feeding
	cm tunneled/plant			t can recailing
	r Mite (Tetranychus urticae)			Two-spotted Spider Mite
Western Rootworn	(Diabrotica virgifera virgifera)			I _ Western Rootworm
_ Other (Specify)	(Diabiosca viigiicia viigiieia)			I Other (Specify)
_ omor (opcony)	,			_ Other (Specify)
12. AGRONOMIC TRAITS:				
	days after anthesis) (Rate on sc	ale from 1≃worst to 9	excellent)	I 2 Stay Green
% Dropped Ears (at	65 days after anthesis)			l % Dropped ears
_ % Pre-anthesis Bri	ttle Snapping			I % Pre-anthesis Brittle Snapping
0 % Pre-anthesis Ro	ot Lodging			I 5 % Pre-anthesis Root Lodging
	oot Lodging (at 65 days after an	thesis)		6 Post-anthesis Root Lodging
4,745.0 Kg/ha Yield	of Inbred Per Se (at 12-13% gra	ain moisture)		3,271,0 Yield
	•			
	S: (0=data unavailable; 1=data a			
1 Isozymes	_ RFLP's	_ RAPD's		_ Other (Specify)
REFERENCES:				
Butler, D.R. 1954. A System	for the Classification of Corn In	ored Lines, PhD Thes	is. Ohio University	
Emerson, R.A., G.W. Beadle	, and A.C. Fraser, 1935. A sum	mary of Linkage Stud	ies in Maize, Corn	· ellΔES Mem 180
Farr DE GE Bills GP C	hamuris A V Roseman 1080 I	Fundi on Diant Drodu	te in the United St	ates. The American Phytopathological
Society, St. Paul, MN.	namuns, A. I. Nossman, 1909. i	angi on Flant Floud	as in the Officer St	ates. The American Phytopathological
• •				
Inglett, G.E. (Ed) 1970. Corn	: Culture, Processing, Products.	Avi Publishing Comp	any, Westpoint, C	Т,
Jugenheimer, R.W. 1976. Co	orn: Improvement, Seed Produc	ion, and Uses, John	Wiley & Sons. Nev	v York.
	seases. APS Press, St. Paul, M			•
	Tissues, Macbeth, P.O. Box 23		2551-0230	***
The Mutants of Maize, 1968	Crop Science Society of America	ca. Madison WI		
Shurtleff M.C. 1980 Compe	ndium of Corn Diseases. APS F	rece St Daul MNI 1	05 nn	
Sprague G.E. and I.M. Dur	liev (Editore) 1088 Corn and C	ress, or. Faul, MIN. I am Improvement Thi	oo pp. ird Edition Agress	my Monograph 18. ASA, CSSA, SSSA,
Sprague, G.F., and J.W. Duc Madison, WI.	ney (Eukors). 1300. Com and C	om improvement, Thi	ти ⊏ишоп. Адголо	my wonograph to. ASA, CSSA, SSSA,
Mauison, VVI.				
	Lines of Ohio A.E.S., Bul. 831	1959.		
U.S. Department of Agricultu	ro 1000 1007 Vaarbaak			

COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D)
Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.

		A.L
REPRODUCE LOCALLY. Include form number and edition date on all reproductions.	FORM APPROVED - OMB NO. 058	1-0055
AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determin certificate is to be issued (7 U.S.C. 2421). confidential until the certificate is issued (7	The information is held
1.NAME OF APPLICANT(S) PIONEER HI-BRED INTERNATIONAL, INC.	2.TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME PHB00
4 .ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5.TELEPHONE (include area code)	6. FAX (include area code)
7301 NW 62 nd AVENUE	515-270-4051	515-253-2125
P.O.BOX 85 JOHNSTON, IA 50131-0085	7.PVPO NUMBER	
JOHNS FON, 1A 50131-0085		200500254
8.Does the applicant own all rights to the variety? Mark an "X" in the appropriate b	lock. If no, please explain: ⊠ YES	□ NO
9. Is the applicant (individual or company) a U.S. national or a U.S. based company	? If no, give name of country. 🛛 🗡 🕏	S 🔲 NO
10. Is the applicant the original owner? ☐ YES ☐ NO If no, please an	swer <u>one</u> of the following:	
a. If the original rights to variety were owned by individual(s), is (are) the ori	ginal owner(s) a U.S. National(s)?	
☐ YES ☐ NO If no, give name of country		
b. If the original rights to variety were owned by a company(ies), is (are) the	original owner(s) a U.S. based company?	
☑ YES ☐ NO If no, give name of country		
11. Additional explanation on ownership (Trace ownership from original breeder to	current owner. Use the reverse for extra sp	pace if needed):

Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly owned subsidiary Pioneer Overseas Corporation (POC), Des Moines, Iowa, is the employer of the plant breeders involved in the selection and development of PHB00. Pioneer Hi-Bred International and/or Pioneer Overseas Corporation has the sole rights and ownership of PHB00 pursuant to written contracts that assign all rights in the variety to PHI and/or POC at the time such variety was created. No rights to this variety are retained by any individuals.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0056. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.